

SAFETY WARNINGS!

EN

	Maximum load 25 kg		The child must be secured with a safety harness
	Prolonged sitting limits blood circulation in the legs		Side clips must be fastened
	For children who can sit on their own		Do not lean forward while wearing the carrier Never leave the child unattended in the carrier

Warning: the baby carrier must not be removed from the structure or disassembled in any other way, in which case it will not be possible to claim the warranty and the manufacturer bears no responsibility for any resulting consequences.

The DACONY child carrier is designed for carrying a child who can already sit independently and weighs up to 25 kg. The carrier may only be used by a physically and medically fit person who follows the principles of safe carrying and handling of a child in the carrier.

SAFETY GUIDELINES

Before placing the child into the carrier, make sure the carrier stands firmly on the ground, the support leg is extended (fig. 2/R), and there is no risk of tipping. The child should be placed in the carrier from the side by unbuckling the side clip (fig. 2/K) and opening the side panel.

The child must be secured with safety straps! (fig. 2/B) using the three-point harness system (fig. 2/C,D). Tighten the safety straps so they are not too loose. This can be adjusted using two buckles (fig. 2/S). Close the side panel and fasten the clip (fig. 2/K).


The clips (fig. 2/K,F) must always be fastened!

If your carrier includes foot stirrups, secure the child's feet so that their legs are supported by the stirrups.

Once the child is secured, you can put the carrier on your back. Place it carefully to avoid dropping or tipping it. If possible, we recommend assistance from another person when putting the carrier on. After putting on the carrier, fasten and tighten the shoulder and waist straps! (fig. 1/ 2,3,4,5)

Ensure the carrier sits straight on your back. Do not bend forward while wearing the carrier! Be aware that prolonged sitting in the carrier reduces blood circulation in the child's legs and, in cold environments, may lead to hypothermia. Properly adjusted foot stirrups help prevent this. Even though the carrier can stand independently, never leave your child unattended, as the carrier may tip over.

fig.1




Carrier Setup: fig. 1

- 1 – Adjustable shoulder straps
- 2 – Waist belt tightening
- 3 – Shoulder strap tightening
- 4 – Pulling the carrier toward the head
- 5 – Adjustable chest buckle
- 6 – Adjustable guide buckle
- (Adjust by holding the buckle and sliding it along the strap)
- 7 – Side clip for lateral access to the carrier
- (Must be closed when the child is inside)

Functions: fig. 2

- A – Height adjustment of safety straps (underneath with Velcro)
- B – Safety strap for securing the child
- C – Shoulder part of the harness
- D – Fixed part of the harness
- E – Buckles for adjusting seat height
- F – Side buckle for tightening the seat part (Must always be fastened!)
- G – Removable bib (washable)
- H – Pulling the carrier toward the wearer's shoulders
- CH – Load-lifting strap adjustment
- (Adjust by holding the buckle and pulling along the strap)
- I – Dual tightening waist buckle
- J – Shoulder tightening buckle
- K – Expandable side clip
- L – Stirrups attachment buckle
- M – Removable pocket on waist belt
- N – Side panel tightening toward the seat
- R – Foldable support leg
- S – Tightening of child safety straps

fig.2



Shoulder Strap Height Adjustment: fig. 3

Pass the strap through five loops and attach it using the Velcro on the outside of the shoulders. For taller individuals, fewer loops may be used (minimum of 3).

Sunshade: fig. 4

Insert the sunshade into the two channels on the back of the carrier. Attach the front of the sunshade by pulling the plastic toggles through the cord loops and tightening them.